



**ADVANCED
LABORATORIES®**

If you liked our service, please tell a friend. If you didn't, please tell us!

8969 Cleveland Road Clayton, NC 27520
Phone: (919) 989-7793 Fax: (919) 989-9226
Email: NCLab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate

Description:

Sample ID: COMPOSITE

Lot No: 250899 250900 250901

Location:

Received: 7/7/2025

Completed: 7/14/2025

Client

Lab No: 146263-01


Analysis	Result	Per Unit	Specifications	Method
Total Aerobic Microbial Count	<10	CFU/g	Report	FDA BAM
Coliform	<3.0	MPN/g	Report	FDA BAM
Total Yeast & Mold Count	<10	CFU/g	Report	FDA BAM
Yeast *	<10	CFU/g	Report	FDA BAM
Mold *	<10	CFU/g	Report	FDA BAM

*For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Dated:

7/14/2025

Printed: 7/14/2025 4:50:20 PM





**ADVANCED
LABORATORIES®**

If you liked our service, please tell a friend. If you didn't, please tell us!

8969 Cleveland Road Clayton, NC 27520
Phone: (919) 989-7793 Fax: (919) 989-9226
Email: NCLab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate

Description:

Sample ID: COMPOSITE
Lot No: 250899 250900 250901
Location:
Received: 7/7/2025
Completed: 7/14/2025

Client


Lab No: 146263-02

Analysis	Result	Per Unit	Specifications	Method
E. coli	<3.0	MPN/g	Report	FDA BAM
Staphylococcus aureus	<10	CFU/g	Report	FDA BAM
Salmonella spp.	Absent	per 25 grams	Report	FDA BAM

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Dated: 7/14/2025

Printed: 7/14/2025 4:50:20 PM





**ADVANCED
LABORATORIES®**

8969 Cleveland Road Clayton, NC 27520
Phone: (919) 989-7793 Fax: (919) 989-9226
Email: NCLab@advancedlabsinc.com
FDA Registration #14353128308

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Description: [REDACTED] Vanilla Shake Flavored
Sample ID: Spacemilk
Lot No: 250900
Location:
Received: 7/7/2025
Completed: 7/14/2025

Client: [REDACTED]


Lab No: 146263-03

Analysis	Result	Per Unit	Specifications	Method
‡ Arsenic	0.048	ppm	Report	ICP-MS USP <730>
‡ Cadmium	0.010	ppm	Report	ICP-MS USP <730>
‡ Mercury	<0.001	ppm	Report	ICP-MS USP <730>
‡ Lead	0.016	ppm	Report	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Dated: 7/14/2025

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 7/14/2025 4:50:20 PM





**ADVANCED
LABORATORIES®**

If you liked our service, please tell a friend. If you didn't, please tell us!

8969 Cleveland Road Clayton, NC 27520
Phone: (919) 989-7793 Fax: (919) 989-9226
Email: NCLab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate

Description: [REDACTED] Chocolate Mousse Flavored
Sample ID: Spacemilk
Lot No: 250899
Location:
Received: 7/7/2025
Completed: 7/14/2025

Client: [REDACTED]


Lab No: 146263-04

Analysis	Result	Per Unit	Specifications	Method
‡ Arsenic	0.055	ppm	Report	ICP-MS USP <730>
‡ Cadmium	0.029	ppm	Report	ICP-MS USP <730>
‡ Mercury	0.001	ppm	Report	ICP-MS USP <730>
‡ Lead	0.019	ppm	Report	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Dated: 7/14/2025

Tests marked with ‡ were done at Advanced Laboratories, Inc. 40 W. Louise Ave, Salt Lake City, UT 84115

Printed: 7/14/2025 4:50:20 PM





**ADVANCED
LABORATORIES®**

8969 Cleveland Road Clayton, NC 27520
Phone: (919) 989-7793 Fax: (919) 989-9226
Email: NCLab@advancedlabsinc.com
FDA Registration #14353128308

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Description: [REDACTED] Unflavored
Sample ID: Spacemilk
Lot No: 250901
Location:
Received: 7/7/2025
Completed: 7/14/2025

Client: [REDACTED]

Lab No: 146263-05

Analysis	Result	Per Unit	Specifications	Method
‡ Arsenic	0.036	ppm	Report	ICP-MS USP <730>
‡ Cadmium	0.003	ppm	Report	ICP-MS USP <730>
‡ Mercury	<0.001	ppm	Report	ICP-MS USP <730>
‡ Lead	0.035	ppm	Report	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Dated:

7/14/2025

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 7/14/2025 4:50:20 PM

